

521 Visit Compliance Report

Licensee: Perimeter Behavioral of Forrest City
Licensee Address: 603 KITTLE ROAD FORREST CITY, AR 72335
Licensing Specialist: Austin Clowers **Person In Charge:** Charlotte Lockhart
Monitor Visit Date: 9/20/2021
Purpose of Visit: Residential Non-Standard Review

Regulations Out of Compliance:

Regulation	Serious Violation	Discussion/Observation	Due Date	Correction Date	Corrected On Site
R1013.10	Yes	In the second room on the left in the SRP, bed placement is not in a way that would prevent physical contact.	9/21/2021		No
R911.15.b	Yes	Found wire that could choke or be used for self harm. Was removed during inspection.	9/20/2021	9/20/2021	No
R1011.7	No	Last room on right in SRP- Door wood is coming apart and should be fixed. Could be a safety concern for residents. Floor tiles in seclusion room are coming up.	9/27/2021		No
R910.1	Yes	Last room on right- Baseboard and trim fell off of wall by closet. Nails were sticking out. Wire going up to electrical pole outside was fraying. Needs to be fixed by utility company.	9/27/2021		No

Regulations Needing Technical Assistance:

No regulations needing technical assistance.

Regulations Not Correctable:

No regulations marked as not correctable.

Narrative:

Arkansas Department of Human Services
Division of Child Care and Early Childhood Education

P.O. Box 1437, Slot S140 - Little Rock, AR 72203-1437
501-682-8590 - Fax: 501-683-6060 - TDD: 501-682-1550

Austin Clowers and Shay Litzsey reviewed buildings and grounds for PRTF and SRU program. The visit was conducted from 11:00 AM to 3:30 PM.

Records reviewed for residents: [REDACTED]

PRTF Ratios:

Diamond Hall: 13-2, Room for older kids: 16-3.

SRP Ratios: Room 1: 14-3, Room 2: 10-2

Arkansas Department of Human Services
Division of Child Care and Early Childhood Education
P.O. Box 1437, Slot S140 - Little Rock, AR 72203-1437
501-682-8590 - Fax: 501-683-6060 - TDD: 501-682-1550

521 Visit Compliance Report

Licensee: Perimeter Behavioral of Forrest City
Licensee Address: 603 KITTLE ROAD FORREST CITY, AR 72335
Licensing Specialist: Austin Clowers **Person In Charge:** Charlotte Lockhart
Monitor Visit Date: 9/20/2021
Purpose of Visit: Residential Non-Standard Review

Regulations Out of Compliance:

Regulation	Serious Violation	Discussion/Observation	Due Date	Correction Date	Corrected On Site
R1007.2	Yes	Proper supervision was not seen on video during time of incident and logs in children's files indicated that supervision was done. Staff will be retrained on proper supervision and training participation log sent to program specialist.	10/5/2021		No

Regulations Needing Technical Assistance:

No regulations needing technical assistance.

Regulations Not Correctable:

No regulations marked as not correctable.

Narrative:

Viewed video of incident that occurred on [REDACTED]/2021:

Multiple occurrences of touching occurred during the hours of 22:11 and 22:57.

AO [REDACTED] is seen choking and touching AV [REDACTED]

At [REDACTED], AO [REDACTED] is seen forcefully choking AV [REDACTED] the the point where [REDACTED] appears to go limp.

At [REDACTED] until [REDACTED] staff was seen on camera sitting at door. Incidents stopped during this time.

At [REDACTED] AO [REDACTED] is right out of camera view, but witness [REDACTED] stated that child was masterbating over AV. Witness [REDACTED] was seen throughout video being "watch out."