

## Division of Child Care & Early Childhood Education

P.O. Box 1437, Slot S150, Little Rock, AR 72203-1437

P: 501.320.3971

## Notice of Incident

Date of Incident: 3/5/2022

Date Reported to DCCECE: 3/9/2022

Agency Name: Millcreek Agency Number: 233

Type of Facility: PRTF Facility License Type: Regular

**Type of Incident:** ER Visit

Incident Description: Client and peers were outside and playing a recreational game. rolled and hurt his arm. They fell to the ground and

Nurse Evaluation: Abnormality noted to left forearm. Appears fractured and displaced. Sling applied. Supervisor notified. Transported to DCMC ER. Tylenol 325mg PO provided.

Dallas Co. ER findings: Transverse fracture of the distal radial diaphysis with apex dorsal medial angulation. Incomplete buckle type fracture of the distal ulnar diaphysis. No soft tissue foreign body. Transferred to AR Children's Hospital for treatment.

AR Children's Hospital: Closed fracture of distal end of left radius, unspecified fracture morphology, initial encounter Disruptive mood dysregulation disorder. Closed reduction performed under deep sedation. Patient tolerated procedure well without complications.

Agency's Interim Corrective Action: Client taken to ER. Continue to monitor. Licensing Specialist Assigned: C.DeBoer Licensing Supervisor Assigned: A.Clowers <u>Child Abuse Hotline</u> (Only applies to maltreatment incidents) No.

Was the Hotline Called: Was it accepted?N/A Outcome:

Assigned Investigator: N/A

Date of DCCECE's Follow-up: N/A Type of Follow-up: N/A Details from Follow-up: Nurse Evaluation: Abnormality noted to left forearm. Appears fractured and displaced. Sling applied. Supervisor notified. Transported to DCMC ER. Tylenol 325mg PO provided. Dallas Co. ER findings: Transverse fracture of the distal radial diaphysis with apex dorsal medial angulation. Incomplete buckle type fracture of the distal ulnar diaphysis. No soft tissue foreign body. Transferred to AR Children's Hospital for treatment.

AR Children's Hospital: Closed fracture of distal end of left radius, unspecified fracture morphology, initial encounter Disruptive mood dysregulation disorder. Closed reduction performed under deep sedation. Patient tolerated procedure well without complications.