



Division of Child Care & Early Childhood Education
P.O. Box 1437, Slot S150, Little Rock, AR 72203-1437
P: 501.320.3971

Notice of Incident

Date of Incident: 5/31/2022
Date Reported to DCCECE: 6/1/2022

Agency Name: Perimeter of the Ozarks
Agency Number: 237
Type of Facility: PRTF **Facility License Type:** Regular

Type of Incident: Emergency Room Visit

Incident Description: Resident [REDACTED]. cut [REDACTED] self with a piece of glass while in the shower. The resident then shoved the glass into the open wound.

Agency's Interim Corrective Action: Resident was taken to the emergency room for further evaluation.

Licensing Specialist Assigned: C. Vardell
Licensing Supervisor Assigned: 5/31/2022

Child Abuse Hotline (Only applies to maltreatment incidents)

Was the Hotline Called: No **Was it accepted?** N/A **Outcome:** N/A

Assigned Investigator: N/A

Date of DCCECE's Follow-up: 6/2/2022 **Type of Follow-up:** Email

Details from Follow-up: 6/2/2022-Program Coordinator emailed the facility to determine if this resident ever did go acute and how [REDACTED] was able to obtain glass to self-harm in the shower. The facility reported that this resident did not go to acute care, [REDACTED] reports [REDACTED] found the glass in the "calm down room", but there is no window and the staff were unable to locate any glass. The resident received 5 stitches for the wound.

6/3/22-Program Coordinator viewed the buildings and grounds, but was unable to locate any loose glass. The resident reports [REDACTED] found it in the safe room, but no glass was seen broken in this area.



Division of Child Care & Early Childhood Education
P.O. Box 1437, Slot S150, Little Rock, AR 72203-1437
P: 501.320.3971

Notice of Incident

Date of Incident: 5/31/2022
Date Reported to DCCECE: 6/1/2022

Agency Name: Perimeter of the Ozarks
Agency Number: 237
Type of Facility: PRTF **Facility License Type:** Regular

Type of Incident: Emergency Room Visit

Incident Description: Resident [REDACTED] cut herself with a piece of glass while in the shower. The resident then shoved the glass into the open wound.

Agency's Interim Corrective Action: Resident was taken to the emergency room for further evaluation.

Licensing Specialist Assigned: C. Vardell
Licensing Supervisor Assigned: 5/31/2022

Child Abuse Hotline (Only applies to maltreatment incidents)

Was the Hotline Called:No **Was it accepted?**N/A **Outcome:** N/A

Assigned Investigator: N/A

Date of DCCECE's Follow-up: 6/2/2022 **Type of Follow-up:** Email

Details from Follow-up: 6/2/2022-Program Coordinator emailed the facility to determine if this resident ever did [REDACTED] and how she was able to obtain glass to self-harm in the shower. The facility reported that this resident [REDACTED], she reports she found the glass in the "calm down room", but there is no window and the staff were unable to locate any glass. The resident received 5 stitches for the wound.

6/3/22-Program Coordinator viewed the buildings and grounds, but was unable to locate any loose glass. The resident reports she found it in the safe room, but no glass was seen broken in this area.