



Division of Child Care & Early Childhood Education
P.O. Box 1437, Slot S140, Little Rock, AR 72203-1437
P: 501.682.8590 F: 501.683.6060 TDD: 501.682.1550

Notice of Serious Incident

Date of Incident: 8/12/2023

Date Received by DCCECE: 8/13/2023

Facility Name: The Centers for Youth and Families Monticello

Facility Number: 159

Incident Type: Licensing

Report Description: On 08.12.2023, due to the extreme heat, a male group was in the cafeteria area playing basketball. This area has 4 cafeteria tables that fold up to the wall to provide room for the inside basketball goal to be utilized. The group had been playing basketball for approximately an hour. At 3:37 [REDACTED] 03.21.2023, (custody of DHS, Randolph County, 870.609.6062) went to the side of the metal box holding the table and pulled. Once [REDACTED] pulled the metal box holding the table, the table fell from the wall landing on top of [REDACTED]. The nurse and staff immediately came to his aid. Staff lifted the table over allowing [REDACTED] to move. [REDACTED] complained of wrist hurting. [REDACTED] was immediately taken to Drew Memorial Emergency room to be evaluated. Drew memorial stated a possible break. On call DHS worker for Drew County was notified. Primary DHS on call worker as well as Pulaski County DHS notified. [REDACTED] was transferred to Children's Hospital. Children's determined [REDACTED] had a break located on the thumb side of the hand, lying laterally in the lower arm. A cast and sling were secured. [REDACTED] returned to Centers at 5:10 am on 08.13.23. Over the counter pain medications if needed for pain.

Interim Action Narrative:

Maltreatment Narrative:

Licensing Narrative: Licensing received facility report on 8/13/23 that on 8/12/23 client [REDACTED] injured his arm while playing basketball and was transported to Drew Memorial Emergency Medical Center. [REDACTED] was then transferred to Children's Hospital, and it was determined that [REDACTED] had a break on the thumb side of the hand, lying laterally in the lower arm. A cast and sling were secured. Facility visited 8/17/23 and video reviewed of incident. Client [REDACTED] is seen playing basketball, inside, in the cafeteria, The cafeteria tables are folded up against the wall. Staff/client ratio: 2:7. The area where these tables are folded up against the wall inspected during today's visit. The tables fold up and can be secured inside a box which is fastened to the cafeteria walls with hex bolts connected to a concrete wall. The box was securely fastened to the wall today. Continuing in the video, [REDACTED] pulls on a table which is secured in a box against the wall. The box and the table fall on client [REDACTED]. The box was not securely fastened to the wall. Facility cited 911.6: All buildings and furnishings shall be clean, safe and in good repair. There would be no indication that these boxes are not securely fastened to the wall unless pulled. Additional hex bolts will be added to the fold-away table boxes as soon as possible. Maintenance has been notified of this.



Division of Child Care & Early Childhood Education
P.O. Box 1437, Slot S140, Little Rock, AR 72203-1437
P: 501.508.8910 F: 501.683.6060 TDD: 501.682.1550

521 Visit Compliance Report

Licensee: The Centers for Youth and Families Monticello

Facility Number: 159

Licensee Address: 936 JORDAN DRIVE
MONTICELLO AR 71657

Licensing Specialist: Clayton DeBoer

Person In Charge: Karen Walker

Record Visit Date: 8/17/2023

Home Visit Date: 8/17/2023

Purpose of Visit: Self Report Visit

Regulations Out of Compliance:

Regulation Number: 9. 911. 6

Regulation Description: All buildings and furnishings shall be safe, clean, and in good repair.

Findings Description: Fold-away table box was not securely fastened to the wall resulting in the injury of a client.

Action Due Date: 8/24/2023

Action Due Description: Additional hex bolts will be added to the fold-away table boxes.

Comply Date:

Sub Regulation Description:

Regulations Needing Technical Assistance:

Regulation Not Applicable:

Regulations Not Correctable:

Narrative:

Licensing received facility report on 8/13/23 that on 8/12/23 client [REDACTED] injured his arm while playing basketball and was transported to Drew Memorial Emergency Medical Center. [REDACTED] was then transferred to Children's Hospital, and it was determined that [REDACTED] had a break on the thumb side of the hand, lying laterally in the lower arm. A cast and sling were secured.

Facility visited 8/17/23 and video reviewed of incident. Client [REDACTED] is seen playing basketball, inside, in the cafeteria, The cafeteria tables are folded up against the wall. Staff/client ratio: 2:7. The area where these tables are folded up against the wall inspected during today's visit. The tables fold up and can be secured inside a box which is fastened to the cafeteria walls with hex bolts connected to a concrete wall. The box was securely fastened to the wall today. Continuing in the video, [REDACTED] pulls on a table which is secured in a box against the wall. The box and the table fall on client [REDACTED]. The box was not securely fastened to the wall. Facility cited 911.6: All buildings and furnishings shall be clean, safe and in good repair. There would be no indication that these boxes are not securely fastened to the wall unless pulled. Additional hex bolts will be added to the fold-away table boxes as soon as possible. Maintenance has been notified of this.

Provider Comments:

CCL Staff Signature :

Date: 8/17/2023



Provider Signature :

Date: 8/17/2023

